

Horion Interactive Displays-M6APro

Professional Audio-Visual Experience for Meetings

65" / 75" / 86" / 98"

Immersive Experience for Video Conferencing



The Horion M6APro Interactive Flat Panel elevates your video conferencing experience with its upgraded software and hardware capabilities, effortlessly meeting various video conferencing needs for efficient collaboration.



48MP Ultra HD Camera | 8-Array Microphone

The Horion M6APro Interactive Flat Panel features an upgraded 48MP camera, professionally calibrated and paired with an ultra-wide-angle lens. It delivers crystal-clear, ultra-high-definition video images, supporting intelligent framing and AI sound source localization for real-time remote communication.

Revolutionary design for broader sound capture, integrating top-positioned microphone array with a touch frame.



AI Sound Source Localization - Focus on What Matters

With AI-driven speaker tracking and facial recognition, the M6APro keeps the focus sharp, making remote discussions feel like face-to-face interactions.



Automatically capture wide viewing angle



Real-time sound source localization, focusing on the speaker

12m Pickup Range - Seamless Remote Collaboration

With an 8-array microphone, the M6APro captures sound clearly up to 12m away with a 180° wide-angle pickup, perfect for medium to large meeting rooms.



Dual System (Optional) - Switch with Ease

Out of the box with Android 13.0, and an optional Windows system. The plug-and-play design makes upgrades convenient, offering robust processing capabilities and easy loading of extensive files for a smooth and efficient office experience.




4K Ultra HD - Visual Perfection in Every Pixel

Experience the finest details with a 178° viewing angle and over 1.07 billion colors. Automatic brightness adjustment for optimal viewing comfort.



Multiwindow application Multiple screens are more efficient

Support multi-application display, can flexibly adjust the window size, support 2 split screen, 4 split screen display, team collaboration and discussion without switching applications, while reviewing the whiteboard record, efficient work.



Compatible with Leading Video Conferencing Software

Works seamlessly with Zoom, Microsoft Teams, and more. Start meetings with a click, ensuring smooth, synchronized communication.



High-Performance, Large Storage

Faster startups, quicker software launches, and speedy data access. With 8GB RAM and 128GB storage, it's all about a seamless, powerful experience.



Display	Cameras/Microphones/Speakers	System
Size: 65" / 75" / 86" / 98"	Camera Pixel: 48M	System: Android 13.0
Resolution: 3840 * 2160	Auto framing Speaker tracking & Auto zoom	CPU Architecture: Quad core A73 + Quad core A53
Brightness: 65"-86" 380cd/m ² 98" 430cd/m ²	Horizontal View Angle: 102.1°	CPU Working Frequency: Max 2.2GHz
Contrast Ratio: 1200:1	Mic Category: 8-array	CPU Core: Quad core A73 + Quad core A53
Backlight Type: D-LED	Pick-up Distance: 12m Pick-up Angle: 180°	Solution: A311D2
Pixel Pitch: 65" 0.3720(H)x0.3720(V)	Speaker Audio Output Power: 60W	GPU: Mali G52-MP8
75" 0.4296(H)x0.4296(V)	(Audio Output Power 20W x2 Subwoofer 20W)	RAM: 8GB LPDDR4X+128GB
86" 0.4935(H)x0.4935(V)		
98" 0.5622mm*0.5622mm		
Refreshing Frequency: 60Hz		
Viewing Angle: 178°(H) / 178°(V)		
Color Gamut(NTSC): 72%		
Display Color: 1.07B(10bit)		
Power Consumption	Mechanical	Touch
Voltage: 100V ~ 240V/AC, 50/60Hz	Net Weight: 65" 45kg±1.5kg 75" 53kg±1.5kg	Touch Mode: Infrared touch
Power Consumption (standby): <0.5W	86" 71kg±1.5kg 98" 131kg±1.5kg	Touch Point: Max50 Response Time: ≤8ms
	Gross Weight: 65" 58kg±1.5kg 75" 69.47kg±1.5kg	Touch Accuracy: ±1mm
	86" 87.5kg±1.5kg 98" 156kg±1.5kg	Output Form: HID standard
	Product Size (H*W*D):	Interface Type: USB 2.0 +UART
	65" 1511.6mm × 86.1mm × 909mm	
	75" 1722.5mm × 87.1mm × 1021.8mm	
	86" 1967.9mm × 87.1mm × 1159.8mm	
	98" 2239.15mm × 103.05mm × 1315.75mm	
	Frame Material: Aluminum	
	Frame Color: Gray	
Ports		
HDMI-IN *2 DP-IN *1 Type-C *1 VGA IN*1 AUDIO IN *1 LAN*2 USB2.0 *1 USB3.0 *2 Touch *3 MIC IN*1 SPDIF*1 RS232 IN*1 AUDIO OUT*1		